

Code	Addition Deletion Change	Category	Full Description
0219T	Application Change	Category III	Placement of posterior intrafacet implant(s), unilateral or bilateral, including imaging and placement of bone graft(s) or synthetic device(s), single level: cervical (Do not report 0219T – 0221T in conjunction with any radiological service) (Do not report 0219T – 0221T in conjunction with 20930, 20931, 22600-22614, 22840, 22851 at the same level.)
0220T	Application Change	Category III	Placement of posterior intrafacet implant(s), unilateral or bilateral, including imaging and placement of bone graft(s) or synthetic device(s), single level: thoracic (Do not report 0219T – 0221T in conjunction with any radiological service) (Do not report 0219T – 0221T in conjunction with 20930, 20931, 22600-22614, 22840, 22851 at the same level.)
0221T	Application Change	Category III	Placement of posterior intrafacet implant(s), unilateral or bilateral, including imaging and placement of bone graft(s) or synthetic device(s), single level: lumbar (Do not report 0219T – 0221T in conjunction with any radiological service) (Do not report 0219T – 0221T in conjunction with 20930, 20931, 22600-22614, 22840, 22851 at the same level.)
0222T	Application Change	Category III	Placement of posterior intrafacet implant(s), unilateral or bilateral, including imaging and placement of bone graft(s) or synthetic device(s): each additional vertebral segment
0274T	New Code Added	Category III	Percutaneous laminotomy/laminectomy (interlaminar approach) for decompression of neural elements, (with or without ligamentous resection, discectomy, facetectomy and foraminotomy), any method, under indirect image guidance (eg, fluoroscopic, CT,) with or without the use of an endoscope single or multiple levels, unilateral or bilateral; cervical or thoracic
0275T	New Code Added	Category III	Percutaneous laminotomy/laminectomy (interlaminar approach) for decompression of neural elements, (with or without ligamentous resection, discectomy, facetectomy and foraminotomy), any method, under indirect image guidance (eg, fluoroscopic, CT,) with or without the use of an endoscope single or multiple levels, unilateral or bilateral; lumbar (For laminotomy/hemilaminectomy performed using an open and endoscopically-assisted approach, see 63020-63035) (For percutaneous decompression of the nucleus pulposus of

			intervertebral disc utilizing needle based technique, use 6228
0282T	New Code Added	Category III	Percutaneous or open implantation of neurostimulator electrode array(s), subcutaneous (peripheral subcutaneous fi stimulation), including imaging guidance, when performed, cervical, thoracic or lumbar; for trial, including removal at the conclusion of trial period
0283T	New Code Added	Category III	Percutaneous or open implantation of neurostimulator electrode array(s), subcutaneous (peripheral subcutaneous fi stimulation), including imaging guidance, when performed, cervical, thoracic or lumbar; permanent, with implantation of pulse generator
0284T	New Code Added	Category III	Revision or removal of pulse generator or electrodes, includir imaging guidance, when performed, including addition of nev electrodes, when performed
0285T	New Code Added	Category III	Electronic analysis of implanted peripheral subcutaneous field stimulation pulse generator, with reprogramming when performed (Do not report 0282T-0285T in conjunction with 64550-64595,77002,77003, 95970-95973)
22610	Revised Code	Spine (Vertebral Column) –Arthrodesis	Arthrodesis, posterior or posterolateral technique, single leve thoracic, with lateral transverse technique, <u>when performed</u> (For Facet Joint Fusion, see 0219T-0222T)
22612	Revised Code	Spine (Vertebral Column) –Arthrodesis	Arthrodesis, posterior or posterolateral technique, single leve lumbar, with lateral transverse technique, <u>when performed</u> (Do not report 22612 in conjunction with 22630 for the same interspace and segment, use 22633) (For Facet Joint Fusion, see 0219T-0222T)
22633	New Code Added	Spine (Vertebral Column) –Arthrodesis	Arthrodesis, combined posterior or posterolateral technique with posterior interbody technique including laminectomy and/or discectomy sufficient to prepare interspace (other tha for decompression), single interspace and segment; lumbar (Do not report with 22612 or 22630 at the same level)
22634	New Code	Spine (Vertebral	Arthrodesis, combined posterior or posterolateral technique

	Added	Column) –Arthrodesis	with posterior interbody technique including laminectomy and/or discectomy sufficient to prepare interspace (other than for decompression), each additional interspace and segment lumbar (Do not report with 22612 or 22630 at the same level) (List separately in addition to code for primary procedure) (Use 22634 in conjunction with 22633)
22840	Application Change	Spinal Instrumentation	Posterior non-segmental instrumentation (eg, Harrington rod technique, pedicle fixation across 1 interspace, atlantoaxial transarticular screw fixation, sublaminar wiring at C1, facet screw fixation) (List separately in addition to code for primary procedure)
22841	Application Change	Spinal Instrumentation	Internal spinal fixation by wiring of spinous processes(List separately in addition to code for primary procedure)
22842	Application Change	Spinal Instrumentation	Posterior segmental instrumentation (eg, pedicle fixation, dual rods with multiple hooks and sublaminar wires); 3 to 6 vertebral segments. (List separately in addition to code for primary procedure)
22843	Application Change	Spinal Instrumentation	Posterior segmental instrumentation (eg, pedicle fixation, dual rods with multiple hooks and sublaminar wires); 7 to 12 vertebral segments. (List separately in addition to code for primary procedure)
22844	Application Change	Spinal Instrumentation	Posterior segmental instrumentation (eg, pedicle fixation, dual rods with multiple hooks and sublaminar wires); 13 or more vertebral segments. (List separately in addition to code for primary procedure)
22845	Application Change	Spinal Instrumentation	Anterior instrumentation; 2 to 3 vertebral segments (List separately in addition to code for primary procedure)
22846	Application Change	Spinal Instrumentation	Anterior instrumentation; 4 to 7 vertebral segments (List separately in addition to code for primary procedure)
22847	Application Change	Spinal Instrumentation	Anterior instrumentation; 8 or more vertebral segments (List separately in addition to code for primary procedure)
22848	Application Change	Spinal Instrumentation	Pelvic fixation (attachment of caudal end of instrumentation to pelvic bony structures) other than sacrum (List separately in addition to code for primary procedure)
22849	Application Change	Spinal Instrumentation	Reinsertion of spinal fixation device
22850	Application Change	Spinal Instrumentation	Removal of posterior nonsegmental instrumentation (eg, Harrington rod)
22852	Application Change	Spinal Instrumentation	Removal of posterior segmental instrumentation
22855	Application Change	Spinal Instrumentation	Removal of anterior instrumentation

27096	Revised Code	Pelvis and Hip Joint - Introduction or Removal	Injection procedure for sacroiliac joint, anesthetic/steroid, <u>with image guidance (fluoroscopy or CT) including arthrography when performed</u> (27096 is to be used only with CT or Fluoroscopic imaging confirmation of intra-articular needle positioning) (If CT or fluoroscopic imaging is not performed use 20552)(Cc 27096 is unilateral procedure. For bilateral procedure, use modifier 50)
62287	Revised Code	Nervous System- Spine and Spinal Cord Injection Drainage or Aspiration	Decompression procedure, percutaneous, of nucleus pulposi of intervertebral disc, any method <u>utilizing needle based technique to remove disc material under fluoroscopic imagin</u> or other form of indirect visualization, with the use of an endoscope, <u>with discography and/or epidural injection(s) at t treated level(s), when performed, single or multiple levels, lumbar</u> (This includes endoscopic approach)(Do not report 62287 in conjunction with 62267, 62290, 62311, 77003, 7701 72295, when performed at same level) (For non-needle base technique for percutaneous decompression of nucleus pulpo of intervertebral disc, see codes 0274T, 0275T)
62310	Revised Code	Nervous System- Spine and Spinal Cord Injection Drainage or Aspiration	Injection(s), of diagnostic or therapeutic substance(s) (includi anesthetic, antispasmodic, opioid, steroid, other solution), <u>nc including neurolytic substances, including needle or catheter placement, includes contrast for localization when performe</u> epidural or subarachnoid; cervical or thoracic
62311	Revised Code	Nervous System- Spine and Spinal Cord Injection Drainage or Aspiration	Injection(s), of diagnostic or therapeutic substance(s) (includi anesthetic, antispasmodic, opioid, steroid, other solution), <u>nc including neurolytic substances, including needle or catheter placement, includes contrast for localization when performe</u> epidural or subarachnoid; lumbar or sacral (caudal)
62318	Revised code	Nervous System- Spine and Spinal Cord Injection Drainage or Aspiration	Injection(s), including <u>indwelling</u> catheter placement, continuous infusion or intermittent bolus, of diagnostic or therapeutic substance(s) (including anesthetic, antispasmodi opioid, steroid, other solution), <u>not including neurolytic substances, includes contrast for localization when performe</u> epidural or subarachnoid; cervical or thoracic
62319	Revised Code	Nervous System- Spine and Spinal Cord Injection Drainage or Aspiration	Injection(s), including <u>indwelling</u> catheter placement, continuous infusion or intermittent bolus, of diagnostic or therapeutic substance(s) (including anesthetic, antispasmodi opioid, steroid, other solution), <u>not including neurolytic substances, includes contrast for localization when performe</u> epidural or subarachnoid; lumbar <u>or</u> sacral (caudal) (For transforaminal epidural injection, see 64479-64484)

			(Report 01996 for daily hospital management of continuous epidural or subarachnoid drug administration performed in conjunction with 62318-62319)
62367	Revised Code	Nervous System-Spine and Spinal Cord-Reservoir/Pump Implantation	Electronic analysis of programmable, implanted pump for intrathecal or epidural drug infusion (includes evaluation of reservoir status, alarm status, drug prescription status); with reprogramming or refill
62369	New Code Added	Nervous System-Spine and Spinal Cord-Reservoir/Pump Implantation	Electronic analysis of programmable, implanted pump for intrathecal or epidural drug infusion (includes evaluation of reservoir status, alarm status, drug prescription status); With reprogramming and refill
62370	New Code Added	Nervous System-Spine and Spinal Cord-Reservoir/Pump Implantation	Electronic analysis of programmable, implanted pump for intrathecal or epidural drug infusion (includes evaluation of reservoir status, alarm status, drug prescription status); With reprogramming and refill (requiring physician's skill); Deleted: ' (Do not report 62367-62370 in conjunction with 95990, 95991) For refilling and maintenance of a reservoir or an implantable infusion pump for spinal or brain drug delivery without reprogramming, see 95990, 95991)
63020	Revised Code	Nervous System-Spine and Spinal Cord-Posterior Extradural Laminotomy or Laminectomy for Exploration/Decompression of Neural Elements or Excision of herniated Intervertebral discs	Laminotomy (hemilaminectomy) , with decompression of nerve root(s), including partial facetectomy, foraminotomy and/or excision of herniated intervertebral disc; 1 interspace, cervical (For bilateral procedure, report 63030 with modifier 50)
63030	Revised Code	Nervous System-Spine and Spinal Cord-Posterior Extradural Laminotomy or Laminectomy for Exploration/Decompression of Neural Elements or Excision of herniated Intervertebral discs	Laminotomy (hemilaminectomy) , with decompression of nerve root(s), including partial facetectomy, foraminotomy and/or excision of herniated intervertebral disc; 1 interspace, lumbar (For bilateral procedure, report 63030 with modifier 50)

63035	Revised Code	Nervous System-Spine and Spinal Cord-Posterior Extradural Laminotomy or Laminectomy for Exploration/Decompression of Neural Elements or Excision of herniated Intervertebral discs	Laminotomy (hemilaminectomy) , with decompression of nerve root(s), including partial facetectomy, foraminotomy and/or excision of herniated intervertebral disc; each additional interspace, cervical or lumbar (List separately in addition to code for primary procedure) (Use 63035 in conjunction with 63020-63030) (For bilateral procedure, report 63035 with modifier 50) (For percutaneous endoscopic approach, see 0274T, 0275T)
64553	Revised Code	Nervous System-Spine and Spinal Cord-Neurostimulators (Peripheral Nerve)	Percutaneous implantation of neurostimulator electrode array cranial nerve. (For open placement of cranial nerve (eg, vagal, trigeminal) neurostimulator pulse generator or receiver, see 61885, 61886 as appropriate)
64555	Revised Code	Nervous System-Spine and Spinal Cord-Neurostimulators (Peripheral Nerve)	Percutaneous implantation of neurostimulator electrode array peripheral nerve (excludes sacral nerve) (Do not report 64555 in conjunction with 64566)
64560	Deleted Code	Nervous System-Spine and Spinal Cord-Neurostimulators (Peripheral Nerve)	Percutaneous implantation of neurostimulator electrodes; autonomic nerve
64561	Revised Code	Nervous System-Spine and Spinal Cord-Neurostimulators (Peripheral Nerve)	Percutaneous implantation of neurostimulator electrode array sacral nerve (transforaminal placement)
64565	Revised Code	Nervous System-Spine and Spinal Cord-Neurostimulators (Peripheral Nerve)	Percutaneous implantation of neurostimulator electrode array neuromuscular

64575	Revised Code	Nervous System- Spine and Spinal Cord- Neurostimulators (Peripheral Nerve)	Incision for implantation of neurostimulator electrode array; peripheral nerve (excludes sacral nerve)
64577	Deleted Code	Nervous System- Spine and Spinal Cord- Neurostimulators (Peripheral Nerve)	Incision for implantation of neurostimulator electrodes; autonomic nerve
64580	Revised Code	Nervous System- Spine and Spinal Cord- Neurostimulators (Peripheral Nerve)	Incision for implantation of neurostimulator electrode array; neuromuscular
64581	Revised Code	Nervous System- Spine and Spinal Cord- Neurostimulators (Peripheral Nerve)	Incision for implantation of neurostimulator electrode array; sacral nerve (transforaminal placement)
64585	Revised Code	Nervous System- Spine and Spinal Cord- Neurostimulators (Peripheral Nerve)	Revision or removal of peripheral neurostimulator electrode array
64622	Deleted Code	Destruction by neurolytic Agent (eg, Chemical,Thermal, Electrical or Radio Frequency – Somatic Nerves	Destruction by neurolytic agent, paravertebral facet joint ner lumbar or sacral, single level (For image guided neurolysis of facet joint nerve(s), see 64633-64636)
64623	Deleted Code	Destruction by neurolytic Agent (eg, Chemical, Thermal, Electrical or Radio Frequency – Somatic Nerves	Destruction by neurolytic agent, paravertebral facet joint ner lumbar or sacral, each additional level (For image guided neurolysis of facet joint nerve(s), see 64633-64636)
64626	Deleted Code	Destruction by neurolytic Agent (eg, Chemical, Thermal, Electrical or Radio Frequency – Somatic Nerves	Destruction by neurolytic agent, paravertebral facet joint ner cervical or thoracic, single level- (For image guided neurolysis facet joint nerve(s), see 64633-64636)
64627	Deleted Code	Destruction by neurolytic Agent (eg, Chemical, Thermal, Electrical or Radio Frequency – Somatic Nerves	Destruction by neurolytic agent, paravertebral facet joint ner cervical or thoracic, each additional level (For image guided neurolysis of facet joint nerve(s), see 64633-64636)
64633	New Code	Destruction by	Destruction by neurolytic agent, paravertebral facet joint

	Added Resequenced Code	Neurolytic Agent (eg, Chemical, Thermal, Electrical or Radio Frequency – Somatic Nerves	nerve(s) with imaging guidance (fluoroscopy or CT); cervical c thoracic, single facet joint (For bilateral procedure, report 64633 with modifier 50)
64634	New Code Added Resequenced Code Add On Code	Destruction by Neurolytic Agent (eg, Chemical, Thermal, Electrical or Radio Frequency – Somatic Nerves	Destruction by neurolytic agent, paravertebral facet joint nerve(s) with imaging guidance (fluoroscopy or CT); cervical c thoracic, each additional facet joint (List separately in additio to code for primary procedure). (Use 64634 in conjunction wi 64633). (For bilateral procedure, report 64634 with modifier 50)
64635	New Code Added Resequenced Code	Destruction by Neurolytic Agent (eg, Chemical, Thermal, Electrical or Radio Frequency – Somatic Nerves	Destruction by neurolytic agent, paravertebral facet joint nerve(s) with imaging guidance (fluoroscopy or CT); lumbar o sacral, single facet joint (For bilateral procedure, report 64635 with modifier 50)
64636	New Code Added Resequenced Code Add On Code	Destruction by neurolytic Agent (eg, Chemical, Thermal, Electrical or Radio Frequency – Somatic Nerves	Destruction by neurolytic agent, paravertebral facet joint nerve(s) with imaging guidance (fluoroscopy or CT); lumbar o sacral, each additional facet joint (List separately in addition to code for primary procedure) (U 64636 in conjunction with 64635) (For bilateral procedure, report 64636 with modifier 50) (Do report 64633-64636 in conjunction with 77003, 77012).